

# GOVERNMENT OF THE PEOPLE'S REPUBLIC OF BANGLADESH MINISTRY OF LOCAL GOVERNMENT, RURAL DEVELOPMENT AND CO-OPERATIVES Local Government Engineering Department (LGED)


Agargaon, Sher-E-Bangla Nagar, Dhaka-1207

## Final Report on Study-03 'My Village -My Town' Technical Assistance Project

"Feasibility Study for Rural Connectivity including Multi-Modal Transport System in Char and Haor Areas"

Juri Upazila, MoulviBazar





## **CONTENTS**

GLO	PSSARY	i
ABB	REVIATIONS	ii
Back	ground	iii
	Description of the Upazila	
1.1		
1.2		
1.3		
1.4	Agriculture, Food Production, and Fisheries	1
1.5	Growth Centre and Hatbazar	1
2 I	Location of the Upazila	2
<b>3</b> A	Approach & Methodology	3
2.1	Study Team Composition	3
2.2	Study Area	3
2.3	Database Review and Analysis	3
2.4	Prioritization Criteria of Sub-projects	4
2.5	Weightage Distribution for Prioritization	4
2.6	Mapping Hard-to-reach Villages & Population	5
2.7	Wrap Up Meeting	5
2.8	Validation Workshop	5
2.9	National Workshop	6
4 1	Description of Wetlands	7
3.1	Distribution of the Haors/ Wetlands	7
3.2	Haor/ Wetland Category	8
3.3	Bio-Ecological Characteristics	9
5 I	Rural Road Connectivity to the Villages	10
4.1	Summary of the Village Connectivity	10
4.2	Map of Hard-to-Reach Villages & Proposed Roads	11
6 1	Data Collection & Analysis	12
5.1	Proposed Roadway for Hard-to-Reach Villages:	12
5	5.1.1 Proposed All-Weather Routes:	12
5	5.1.2 Proposed Submersible Routes:	13
5	5.1.3 Proposed Roads for Hard-to-Reach Villages Having No ID:	13
5	5.1.4 Priority for Road Development	13
7 (	Conclusion & Recommendations	14
	exure - 1	
		16

## List of Figures

Figure 1: Upazila Location Map	2
Figure 2: Prioritization indicators & their weightage values	5
Figure 3: Haor Distribution Map	7
Figure 4: Haor Category Map.	
Figure 5: Bio Ecological Characteristics Map	9
Figure 6: Upazila Map	11
List of Tables	
·	
Table 1: Total villages in the unions and their connectivity	10
Table 2: Summary of the rural roads in the Upazila	12
Table 3: Proposed all-weather roads in the Upazila	12
Table 4: Proposed submersible roads in the Upazila	13
Table 5: Proposed roads for Hard-to-Reach Villages having No ID	13
Table 6: Considered weightage values for the prioritization	

## **GLOSSARY**

- **Hard-to-reach Villages** mean in the Study those villages that are not connected by any paved road with the respective Upazila HQ and/or Union Parishad, and to the nearest economic activity hub and social service centres. The following explanations are important for the concept of hard-to-reach villages.
  - In haor areas, Villages connected with submersible roads dry season and connected with Riverine/haor routes in the monsoon season have been considered accessible and excluded from hard-to-reach villages.
  - Within Upazila, Villages that need a bridge to connect have not been considered hard-to-reach villages.
  - In the case of island Upazilas, villages that are accessible with paved roads from Upazila HQ have been considered accessible and excluded from hard-to-reach villages.
  - ➤ In the case of villages that are connected with HBB (Herring-Bone-Bond) or Brick flat soling routes have been considered hard-to-reach villages

Mauza is normally the geographical expression of a unit of landmass for revenue settlement and revenue collection, whereas, the village is a human settlement within a Mauza with a strong social bond. Within a Mauza there could be more than one village.

Union Bangladesh has 3-tiers local government systems: District, Upazila, and Union.
Union is the lowest level of local government below Upazila Parishad

**Upazila** Sub-district; the third level of government administration below division and district.

**Hat** Synonym of Bazar or market

Walking Trail means in the Study the village pathway or access used for walking by commuters, in most cases does not have gazetted or established or commonly used alignment, and to the most, passable by bicycle or motorbike. These village trails are not passable by motorized jeeps or mini trucks or emergency service vehicles or not even any three-wheelers.

**Unpaved Roads** have no pavement or surface material. They are usually earthen roads.

**Vulnerability** is the human dimension of risk that is defined as conditions determined by physical, social, economic, environmental, political, cultural, and institutional factors or processes that increase the likelihood of an individual or a community to the impacts of shocks and hazards.

**Climate-Resilience** is expressed as the ability of a community to resist, absorb, adapt to and recover better from the impacts of disasters like floods and landslides in a sustainable way.

## **ABBREVIATIONS**

ADB – Asian Development Bank

BBS – Bangladesh Bureau of Statistics

BC – Bitumen Carpeting

DatEx — Data Expert (Pvt.) Limited

DECL – Delight Engineers and Construction Ltd.

DoE – Department of Environment

DPHE - Department of Public Health Engineering

DPP – Development Project Proposal

FGD - Focus Group Discussion

GIS — Geographic Information System

GOB – Government of Bangladesh

HBB - Herring-Bone-Bond

HQ – Headquarter

HTRV - Hard-to-Reach Village

JV – Joint Venture

KII – Key Informant Interview

LGD – Local Government Division

LGED - Local Government Engineering Department

LGI – Local Government Institute

MVMT - My Village My Town

NGO – Non-Government Organization

PD - Project Director

PMO – Project Management Office

RCC – Reinforced Concrete

RHD – Roads & Highways Department

SDGs – Sustainable Development Goals

TA – Technical Assistance Project

UE – Upazila Engineer

UNDP – United Nations Development Programme

UNO – Upazila Nirbahi Officer

UNR - Union Road

UP – Union Parishad

UPZ – Upazila Road

VRA – Village Road A

VRB – Village Road B

## **BACKGROUND**

#### **Context of the Project**

The Government of Bangladesh made massive plans to ensure equitable development around the country. Under this development philosophy, the GoB requirements are to reduce the rural-urban divide to foster developmental benefits for all citizens. As part of this, the government declared an election manifesto on the eve of the national parliament election 2018 uniting the theme **Bangladesh on the March Towards Prosperity** aiming at transforming Bangladesh into a developed nation by 2041. Under this, villages have been considered the basic unit of prosperity for building a developed nation.

This firm commitment was declared following the light of the philosophy of the Father of the Nation Bangabandhu Sheikh Mujibur Rahman to build 'Sonar Bangla' (Golden Bangla) through inclusiveness, balanced, and development for all.

Following the philosophy of the Father of the Nation, the government declared its election manifesto 2018 titled 'My Village-My Town'- Extension of Modern Civic Amenities in Every village. The Local Government Division under the Ministry of Local Government, Rural Development and Cooperatives has prepared a comprehensive work plan to make this election commitment a reality. The Local Government Division with its two agencies, the Local Government Engineering Department (LGED) and Department of Public Health Engineering (DPHE) has undertaken a technical assistance project named 'My Village-My Town'-Technical Assistance Project. Under this project, 36 studies and 30 guidelines are being developed on eight thematic components related to the mandate of the Local Government Division. The eight thematic components are Rural Communications, Growth Centre and Hat Bazar, Rural Water Supply and Sanitation, Rural Waste Management, Community Space and Recreation Facilities, Upazila Masterplan, Rural Housing and Capacity building of Upazila and Union Parishad. Besides this, a coordination framework is being developed among the other ministries involved in the implementation of the My Village-My Town election manifesto. It is notable to mention that a coordination committee has been formed comprising 21 ministries to implement the program in a coordinated way under the leadership of the Minster of Local Government, Rural Development, and Co-operatives.

#### **Context of the Report**

This report is a part of the study of the component 'Rural Connectivity'. Rural connectivity is the basic of all amenities in the villages. Rural connectivity works as the conduit that can supply a number of bare necessities such as access to the market, health, education, employment etc. In general, Bangladesh has remarkable progress in rural connectivity. Instead of this, a number of regions of the country are geographically sensitive where rural connectivity is not easy and has a lot of challenges. These regions are -Haor, Beel, Hills, Chars, islands etc. The people residing in these regions have considerably low access to civic amenities compared to other villages of the country. Therefore, the study and plan development of improvement of rural connectivity is one of the important assignments of the technical assistance project. The project undertook an Upazila-based special study on the villages of these geographically sensitive regions that are mentioned before.

This report contains the rural connectivity status and priority plan of the **Juri** Upazila of **Moulvibazar** District.

## 1 DESCRIPTION OF THE UPAZILA

#### 1.1 GEOGRAPHY AND DEMOGRAPHY

The geographical area of Juri Upazila is 186.30 square kilometers and has 6 unions, 69 mauzas, and 142 villages. The Upazila is 45km away from the district headquarters of Moulvibazar. Juri is partly covered by 1 haor/ wetland and there exist Juri river flowing over the Upazila. The total population of Upazila is 148958 of which 73240 are male and 75718 females, the total number of households are 27509 and the average household size is 5.42 with a population density of 800 (as per population census 2011).

#### 1.2 EDUCATION FEATURES

According to the information of the relevant local government offices, there are 45 government & 36 non-government primary schools in the Upazila. On the other hand, Juri has 16 non-government with no government high schools, 2 private colleges, and 8 madrasahs. The literacy rate for the Upazila is 52.3% as per BBS 2011.

#### 1.3 RURAL ROAD COMMUNICATIONS

Bangladesh scored in the rural accessibility index at around 87 percent among South Asian and some other African countries. Generally, the people of Bangladesh get all-weather within 2 kilometers adjacent to their living places. But the feature of rural road communications in Juri Upazila is contrasted. There are many villages, disconnected from the developed paved road network that brings huge suffering for the people of the villages. The total rural road network of Juri is 441.94 km and out of which, 156.18 km are paved and 285.76 km earthen.

#### 1.4 AGRICULTURE, FOOD PRODUCTION, AND FISHERIES

Though the aggregate (coarse sand, stone chips & stone) business is the main source of income for the inhabitants, agriculture too has major importance for the economy of the people of Juri. There are 17776 acres of arable land in Upazila. In the fiscal year 2010-11, the Rice production was 5098, 18414 & 21234 metric tons for Aus, Aman & Boro seasons respectively. The Upazila also produced 33 metric tons of Wheat, 2925 metric tons of Potato, and 33 metric tons of Oil seed in the same fiscal year 2010-11. A notable quantity of vegetables is also produced here in this Upazila.

According to the BBS (2011) data, Juri has 2775 Acre of haor, pond & dighee that produced 2849 metric tons of fish. There also exist 39 poultry & 9 dairy farms.

All the agricultural products are adequate to meet the demand of the Upazila and surpluses are sold outside of Juri.

#### 1.5 GROWTH CENTRE AND HATBAZAR

Growth Centre and Rural Hatbazar are one of the main centers of the rural economy. Hatbazar is like the heart of the development of the rural economy. Rural Hatbazar plays a role in increasing production and creating employment impacting the supply chain of agriculture and non-agriculture products. There are 15 Hatbazar and 2 growth centers in Upazila. The structural development of Hatbazar and its growth is pivotal to boosting the rural economy. Details of the growth center & hatbazar of the Upazila have been attached in *Annexure-1*.

## 2 LOCATION OF THE UPAZILA

Juri Upazila of Moulvibazar district in the North-Eastern part of the country. The location has been shown on the map. The Upazila is situated at the foothill of the Indian border and causes flash floods during monsoon coming from uphill Meghalaya where is Cherrapunji, the wettest place on earth, resulting in waterlogging within the haor basin. Flash floods induce severe impacts on both the built and the natural environment. The effects of flash floods can be catastrophic and show extensive diversity, ranging from damages to buildings and infrastructure to impacts on vegetation, human lives, and livestock.




Figure 1: Upazila Location Map

## 3 APPROACH & METHODOLOGY

#### 2.1 STUDY TEAM COMPOSITION

A team consisting of Senior Rural Road Infrastructure Specialist, Associate Rural Infrastructure Specialist, and Assistant Engineer engaged by the Project Management

Office (PMO) conducted the study. On the other hand, A team consisting of Deputy Team Leader cum Rural Infrastructure Engineer, Junior GIS expert, and Junior Engineer engaged by consulting firm (datEx & DECL JV) conducted the study. A participatory approach to review the database and identify priority transport infrastructure needs ('sub-projects) was instrumental. At the stakeholder consultation meeting held in each district, the database was reviewed, and priority needs were identified and together mapped working with representatives and LGED technical team. LGED

#### **Stakeholder Consultation Meeting**

- Hard-to-reach Village Database and database of sub-projects reviewed
- Prioritization of sub-projects for each Upazila with LGI and LGED representatives
- Hard-to-reach villages and priority sub-projects mapped in the LGED GIS Map

and LGI representatives surveyed each Upazila for the collection of detailed observations and validations of the proposed priority needs.

#### 2.2 STUDY AREA

The study was conducted in 72 Upazilas of haor areas, 3 Upazilas of Beel areas, 8 Upazilas of Char areas, and 4 Upazilas of Island areas during the period from December 2021 to June 2022. Apart from this, the PMO team conducted the study in 50 Upazilas of Haor areas, and the rest of the Upazilas of Haor, Beel, Char, and Island areas are conducted by the consulting firm team. The Upazila technical staff of LGED supported in organizing stakeholder consultation meetings and in database review and mapping the Hard-to-reach villages and population during this study period. They also supported the field work and authentication check by visits to the sub-projects in their respective Upazila and looking at the feasibility of some proposed sub-projects from technical, social, and environmental perspectives.

#### 2.3 DATABASE REVIEW AND ANALYSIS

The study applied both qualitative (e.g., focused group discussions and in-depth case study fieldwork) and quantitative (structured and semi-structured interviews) approaches and methods in reviewing and conducting fieldwork in all the haor areas to understand the need and impact of rural accessibility in remote village contexts. The most applied methods in the reviewing and conducting fieldwork were:

- Key Informants Interview (KII)
- Focus Group Discussion (FGD)
- Case Study for authentication check and individual sub-project feasibility study.

- Review the Hard-to-reach village database at the 'Stakeholder consultation meeting' participated by local government representatives such as the UP chairman and members, Upazila chairman, vice-chairman, and UNO.
- FGD and KII were conducted using a checklist. Composition in the FGD included local community people: male and female, teachers, local farmers, traders, and students depending on availability.
- ❖ KIIs of Union Chairman, Upazila chairman, UNO male and female, and teacher depending on availability.
- ❖ Authentication and feasibility check by visits to the sub-projects reviewed and listed for the 40 selected case study unions under the MVMT project.
- Survey with GPS machine and Google apps in collecting Hard-to-reach village locations, landmarks, chainage at gaps, village road at sections vulnerable to land erosion damage, narrow existing width or sharp slope location.

#### 2.4 Prioritization Criteria of Sub-projects

Prepare a priority list of sub-projects by Upazilas that includes gazette ID roads and non-gazette roads (No ID) with attributes like name and number of villages and population. The criteria used in the prioritization are described below.

- Population, travel time needed from the remotest villages to the Upazila HQ, road type, and cost per km per 1000 population are the indicators weighted giving a value in a formula.
- Priority is given to single connection with no alternative transport road and multi-modal transport route to connecting the villages with Upazila HQ and Union Parishad, growth centre and important markets and social service centres; villages with a higher population and travel time get higher weightage;
- Priority is given to roads, ghats, and collection points that will facilitate agricultural diversification, reduce transportation costs, ensure a fair price and create a farm and non-farm employment and income;
- Priority is given to roads development and inland waterways dredging that will enable year-round mobility of the general public and villagers, in particular, health workers, teachers and students, and tourists to facilitate tourism development, quality education, and better health service in the district and region;
- Special priority is given to sub-projects of roads, Riverine routes/inland waterways that will mainstream deprived communities living in the hard-to-reach villages;
- Identified sub-projects with more cost-effectiveness than others using per km per 1000 population cost for each sub-project;
- Every sub-project(s) is to be climate-resilient, sustainable, and cost-effective.

#### 2.5 WEIGHTAGE DISTRIBUTION FOR PRIORITIZATION

The approaches and methodologies of the Study for reviewing database and prioritization are synthesized in the diagrams below, noting that the proposed sub-projects of roads in the databases are prioritized based on weightage calculated on the set criteria (as shown in the diagram). People's demands and local needs are reflected in the prioritization which was

determined by the Study, working together with LGI representatives and LGED field-level technical staff at the stakeholder consultation meetings held in each Upazila.




Figure 2: Prioritization indicators & their weightage values

#### 2.6 Mapping Hard-to-reach Villages & Population

- With the active support of LGED technical staff, first, draw every priority listed MVMT roads and Hard-to-reach villages on the LGED GIS map in presence of the union Chairman and members who know the sub-project and are the best. This was not in scale but approximation was reached by triangulation. Then digitized on screen using GIS, validate with Google map, and checked with data and information on important features and points collected using GPS during field visits.
- There were challenges in deciding on starting node and/or zero chainage of the non-gazette (No ID) road because not all non-gazette sub-projects were visited and surveyed by the Study team.

#### 2.7 WRAP UP MEETING

Wrap up the fieldwork progress at each district holding a meeting chaired by the Executive Engineer, LGED, and participated by all Upazila engineers of the respective district. On completion of the fieldwork, this was conducted to share issues and updates to the district Executive Engineer for feedback and action, as necessary.

#### 2.8 VALIDATION WORKSHOP

On completion of data analysis and drafting of the database and mapping, the Study outputs were shared with the respective districts and Upazilas for final review. The later validation workshop was held at the respective district on the Draft Report to share and validate the findings. This was participated by the LGED Division, District and Upazila officials, and technical staff.

#### 2.9 NATIONAL WORKSHOP

The Draft Report is finalized, incorporating comments received from the validation workshop, LGED head office staff, and the PMO office. A National Level workshop was held at LGED HQ for sharing and disseminating the results of the Study.

#### 3.1 DISTRIBUTION OF THE HAORS/ WETLANDS

The north-west corner of the Upazila is covered by haor areas. The roads within this area become inundated during monsoon, which requires attention to take relevant measures during road construction and maintenance




Figure 3: Haor Distribution Map

## 3.2 HAOR/ WETLAND CATEGORY

Maximum areas of Juri Upazila are under unplanned foothill. However, in the north-west corner of the Upazila, it is foothill.




Figure 4: Haor Category Map.

#### 3.3 BIO-ECOLOGICAL CHARACTERISTICS

The Bio-ecological characteristics map of the Upazila has been shown below. The map shows that it is mostly Sylhet Hills & is partially a part of Meghna Floodplain.




Figure 5: Bio Ecological Characteristics Map

## 5 RURAL ROAD CONNECTIVITY TO THE VILLAGES

#### 4.1 SUMMARY OF THE VILLAGE CONNECTIVITY

The feature of rural road communications in Juri Upazila is contrasted. Out of 204 villages, only 12 villages are disconnected from the developed paved road network which brings huge suffering for the people of those village. The total rural road network of Juri is 441.94 km and out of which, 156.18 km are paved and 285.76 km earthen.

Table 1: Total villages in the unions and their connectivity

SL No	Union	No of Villages	Connected Villages	Hard-to-Reach Villages
1	Dakshin Dakshinbhagh	31	30	0
2	Fultala	16	13	3
3	Goalbari	38	35	3
4	Jaifarnagar	31	27	4
5	Paschim Juri	21	19	2
6	Purba Juri	19	18	1
7	Sagarnal	16	16	0
8	Sujanagar	32	32	0
	Total	204	191	13

#### 4.2 MAP OF HARD-TO-REACH VILLAGES & PROPOSED ROADS




Figure 6: Upazila Map

#### 6 DATA COLLECTION & ANALYSIS

The consultant team collected data from the field on Hard-to-Reach Villages. Data were collected from those villages including population, road alignment information (type, length, condition), travel time, a structure required on the alignment, potential Riverine routes that can be used for a multi-modal transport system etc. The data were then analyzed, categorized, and finally used to obtain a priority list along with a map (Figure:5) showing prioritized roads and Hard-to-Reach Villages. The proposed Riverine & road connectivity by the UE office have been discussed in this section.

#### 5.1 Proposed Roadway for Hard-to-Reach Villages:

At present, roads are the most dominant mode of transportation. Most of the structures were built on the rivers to make road communication effective.

Table 2: Summary of the rural roads in the Upazila

Total Road Length of the Upazila (KM)	Paved Length (KM)	Unpaved Length (KM)	Length of unpaved roads of Hard-to-Reach Villages (KM)
441.94	156.18	285.76	34.2

#### 5.1.1 Proposed All-Weather Routes:

There are 9 all-weather roads proposed to connect the HTRV within the Upazila. The road name, ID, road condition, and the length of the unpaved roads are as bellow;

Table 3: Proposed all-weather roads in the Upazila

Sl. No	Road Name	Road ID	Road Condition	Unpaved length (Km)
1	RHD-Rubber Dam	658844059	All Weather	4.00
2	RHD Amtail-Taltila	658844074	All Weather	2.50
3	Kachurgul-Nalapunji Road	658844052	All Weather	1.90
4	Fultola-Razkee road	658843016	All Weather	5.00
5	Durgapur to Katalbari BOP Camp	No ID	All Weather	3.30
6	Juri Lattila R&H-Kalatila-Suknachara road	658845036	All Weather	2.00
7	Baruakandi-Matinpur road	658845053	All Weather	2.00
8	Purbo Borodohor-Alipur	658845065	All Weather	3.00
9	Dolaihaor Forest Office to Razkee Mondir	658845080	All Weather	3.00

#### **5.1.2 Proposed Submersible Routes:**

There are 3 submersible roads proposed to connect the HTRV within the Upazila. The road name, ID, road condition, and the length of the unpaved roads are as bellow;

Table 4: Proposed submersible roads in the Upazila

Sl. No	Road Name	Road ID	Road Condition	Unpaved length (Km)
1	Vuai-Tegorighat	658844051	Submersible	2.50
2	Khagteka-Taltola	No ID	Submersible	1.00
3	Manikshingh-Razapur	658844023	Submersible	4.00

#### 5.1.3 Proposed Roads for Hard-to-Reach Villages Having No ID:

There are Two roads proposed to connect the HTRV within the Upazila that have no ID yet. The road name, ID, and the length of the unpaved part are as bellow;

**Table 5:** Proposed roads for Hard-to-Reach Villages having No ID

Sl. No	Road Name	Road ID	Unpaved length (Km)	
1	Durgapur to Katalbari BOP Camp	No ID	3.30	
2	Khagteka-Taltola	No ID	1.00	

#### 5.1.4 PRIORITY FOR ROAD DEVELOPMENT

Considering resources constraint, benefited a group of people, the time required to travel & road hierarchy, a priority list has been developed (<u>Annexure-2</u>) for the HTRV (Hard to Reach Villages). The priority score has been determined according to following

**Table 6:** Considered weightage values for the prioritization

Criteria	Weightage
Population	30
Travel Time	20
Cost per 1000 Population	25
Road Type	25
Total=	100

It has been observed that there are a number of roads that bear the same score. In these cases, the minimum budget required for providing connectivity to thousands of people- will get more priority compared to more budget-required roads. The roads bearing ID will have higher priority than the roads without ID.

#### 7 CONCLUSION & RECOMMENDATIONS

- ➤ Juri Upazila is located under Sylhet Hills & is partially a part of Himalayan Piedmont Plain. The other areas are under Haor Basin. Juri is partly covered by 1 haor/ wetland and there exist Juri river flowing over the Upazila that dominate the ecosystem, and transport system of the Upazila. During monsoons, these Rivers carry a huge volume of flood water.
- As the Upazila is heavily flooded during monsoon, rural roads and structures are highly vulnerable in this Upazila.
- ➤ The Upazila has a total number of 13 Hard-to-Reach Villages. To develop rural connectivity, there are proposals for both all-weather and submersible roads. This report contains a list of roads with their priority. The priority has been determined based on Population, Travel Time, Cost per KM/1000 people & Road Hierarchy.
- ➤ This Upazila is highly vulnerable to disasters. Due to climate change, vulnerability is getting intense. The year 2022 has shown catastrophic flood that was not seen over the last 18 years (*last in 2004 similar to 1998 & 1988*). Therefore, it is highly recommended to study the road alignments before going for investment.
- ➤ Case-by-case design of roads in this Upazila considering different aspects such as exposure to floods, erosion etc. is highly recommended. A special study regarding the road and structure design of the Juri Upazila in MoulviBazar district is highly recommended.

## ANNEXURE - 1

## **DETAILS OF GROWTH CENTER & HATBAZAR**

		M 1 . C	36.1	Market	36.1.					Lan	d Area	(Acre)	Lease/	Lease/
Union	Market Name	Market Category (GC=Growth Center, HB=Hat Bazar)	Market Listed? (Yes/ No)	Category (General/ Special/ Collection center)	Market Category (Wholesale/ Retail/both)	Hat Day	Chandina Viti (Number)	Chandina Viti (Land)	Chandina Viti (Shop)	Toha	Khas	Private	Khas Collectio n BDT (2020)	Khas Collectio n BDT (2019)
Fultala	Fultala bazar	GC	Yes	General Market	Wholesale	2	0	0.26	51	0.77	2.13	1.87	3500000	1731500
Fultala	Rajkee T.E. bazar	НВ	No	General Market	Wholesale	1	0	0.00	6	0.00	0.00	0.00	0	0
Fultala	Rathatila bazar	НВ	No	General Market	Wholesale	1	0	0.00	5	0.00	0.00	0.05	0	0
Goalbari	Goalbari bazar	НВ	Yes	General Market	Wholesale	2	0	0.13	10	0.22	0.51	0.10	6234	5475
Goalbari	Rothna bazar	НВ	No	General Market	Wholesale	1	0	0.00	0	0.00	0.00	0.00	0	0
Goalbari	Siluabazar	НВ	No	General Market	Wholesale	1	0	0.00	0	0.00	0.00	0.00	0	0
Jaifarnagar	Kaminigong bazar	GC	Yes	General Market	Both	2	3	0.30	243	0.22	1.63	2.05	7010500	4630000
Jaifarnagar	Shahgonj bazar	НВ	Yes	General Market	Wholesale	2	0	0.31	41	0.44	0.87	0.15	5200	4000
Jaifarnagar	Bhairabganj bazar	НВ	Yes	General Market	Wholesale	2	0	0.04	30	0.10	0.26	0.15	5900	0
Jaifarnagar	Maniksingh bazar	НВ	No	General Market	Wholesale	7	0	0.00	25	0.00	0.00	0.17	0	0
Paschim Juri	Bhabanigonj	НВ	No	General Market	Wholesale	7	0	0.00	25	0.00	0.00	0.13	0	0
Paschim Juri	Dhamai bazarchali	НВ	No	General Market	Wholesale	1	0	0.00	2	0.00	0.00	0.00	0	0
Paschim Juri	Noya bazar	НВ	No	General Market	Wholesale	2	0	0.00	7	0.00	0.00	10.00	0	0
Purba Juri	Durga pur bazar	НВ	No	General Market	Wholesale	1	0	0.00	2	0.00	0.00	0.00	0	0
Purba Juri	Sunarupa Bazar	НВ	No	General Market	Wholesale	1	0	0.00	3	0.00	0.00	0.00	0	0
Sagarnal	kalabari Bazar	НВ	No	General Market	Wholesale	7	0	0.00	115	0.00	0.00	42.00	0	0
Sagarnal	Shamai Bazar	НВ	No	General Market	Wholesale	7	0	0.00	57	0.00	0.00	26.00	0	0

## PRIORITY LIST FOR ROAD DEVELOPMENT

SL No	Upazila	Connecting Union	Connecting Village	Village Population BBS 2011	Population 2021 (Based on BBS 2011)	Road Name	Road ID	Road Type	Road Type by Surface Condition	Total Road Length	Paved length (Km)	HBB Length (km)	Unpaved length (Km)	Total Road Length to be Developed	HBB + Unpaved in (km)	Approx. Cost of Road (Lac)	Structure/ Gap (Meter)	Cost of Structure (in Lac)	Total Cost (in lac) (Roads + Structures)	Population /KM	Tentative Budget/1000 Population (in lac)	Travel Time (in min)	Weightage for	Weightage for Travel Time	Weightage for Cost per 1000 Pop	Weightage for Road	Total Weightage	Priority
1	Juri	Jaifarnagar	Belagaon, Purbo Belagaon	6576	7535	RHD-Rubber Dam	658844059	VRA	All Weather	4.00	0.00	0.00	4.00	4.00	4.00	480.00	0.00	0.00	480.00	1884	63.71	60.00	25	16	25	12	78	
2	Juri	Jaifarnagar	Shahapur	2830	3243	Vuai-Tegorighat	658844051	VRA	Submersible	3.25	0.75	0.00	2.50	3.25	2.50	450.00	5.00	45.00	495.00	1297	152.66	37.50	20	10	25	12	67	
3	Juri	Paschim Juri	Amtail, Bongram	3219	3688	RHD Amtail-Taltila	658844074	VRA	All Weather	2.50	0.00	0.00	2.50	2.50	2.50	300.00	35.00	315.00	615.00	1475	166.75	37.50	20	10	25	12	67	
4	Juri	Goalbari	Kachurgul pashchim	912	1045	Kachurgul-Nalapunji Road.	658844052	VRA	All Weather	3.60	1.70	1.90	0.00	3.60	1.90	228.00	0.00	0.00	228.00	550	218.20	28.50	18	10	25	15	68	
5	Juri	Fultala	Chunga Bari	351	402	Fultola-Razkee road	658843016	UNR	All Weather	11.00	6.00	0.00	5.00	11.00	5.00	600.00	12.00	108.00	708.00	80	1760.48	75.00	15	16	12	20	63	
6	Juri	Paschim Juri	Taltala	346	396	Khagteka-Taltola	No ID	VRB	Submersible	1.00	0.00	0.00	1.00	1.00	1.00	180.00	0.00	0.00	180.00	396	454.05	15.00	15	10	25	12	62	
7	Juri	Purba Juri	Purba Durgapur	758	868	Durgapur to Katalbari BOP Camp	No ID	VRB	All Weather	3.30	0.00	0.30	3.00	3.30	3.30	396.00	0.00	0.00	396.00	263	455.97	49.50	15	10	25	12	62	
8	Juri	Goalbari	Hayachara	219	251	Juri Lattila R&H-Kalatila- Suknachara road	658845036	VRB	All Weather	2.00	0.00	0.00	2.00	2.00	2.00	240.00	0.00	0.00	240.00	125	956.47	30.00	15	10	20	12	57	
9	Juri	Fultala	Matinpur (Baruakandi)	305	349	Baruakandi-Matinpur road	658845053	VRB	All Weather	2.00	0.00	0.00	2.00	2.00	2.00	240.00	0.00	0.00	240.00	175	686.78	30.00	15	10	20	12	57	
10	Juri	Goalbari	Putichhara	483	553	Purbo Borodohor-Alipur	658845065	VRB	All Weather	3.50	0.50	0.00	3.00	3.50	3.00	360.00	0.00	0.00	360.00	184	650.52	45.00	15	10	20	12	57	
11	Juri	Jaifarnagar	Rajapur	175	201	Manikshingh-Razapur	658844023	VRA	Submersible	5.00	1.00	0.00	4.00	5.00	4.00	720.00	15.00	135.00	855.00	50	4264.16	60.00	15	16	10	12	53	
12	Juri	Fultala	Rahimpur	270	309	Dolaihaor Forest Office to Razkee Mondir	658845080	VRB	All Weather	3.00	0.00	0.00	3.00	3.00	3.00	360.00	0.00	0.00	360.00	103	1163.71	45.00	15	10	15	12	52	

<sup>\*\*\*</sup> Cost for Roads & Structures; (All Weather Rd= 120 lac/km, Submersible= 180 lac/km, Structure= 9 lac/m)
\*\*\* Weightage Values; (Population = 30, Travel Time= 20, Cost per KM/1000 people= 25, Road Hierarchy= 25)